

Mini PC H3D-N95-2L

intel N95

HYSTOU[®]



Hystou Technology Co Limited

Focus on High-end X86 Mini Computers & Fanless PCs
Room 1001, 10th Floor, Building A1, No. 52 Tongren Road,
Jiazitang Community, Fenghuang Street, Guangming District,
Shenzhen, CHINA 518000. www.hystou.com

Specification intel N95

- * Bios Setup/Boot Menu: Delete =>Bios Setup, F11 =>Boot Menu;
BIOS: AMI (American Megatrends Inc)
- * CPU Processor: intel N95
- * Lithography: intel 7 * Intel® AES-NI (Instruction Set): Support
- * Memory slot: 1*DDR4 260Pin SODIMM, maximum support 32G,
maximum support memory frequency 3200MHz
- * Storage: 1*SATA3.0, for installing 2.5-inch HDD/SSD. 1*MSATA
1*M.2 M Key 2280 PCIE3.0 X2/, only supports NVME protocol SSD
1*MSATA slot, used to install MSATA SSD, supporting maximum capacity of 1TB.
- * Graphics: Intel UHD Graphics
- * Supported Systems: Windows10\Windows11\ Windows server
- * Linux: Ubuntu22.04\Debian11-12\linux Mint\ Rocky linux 9, Centos9, etc.
- * Firewall: pfsense\OPNsense
- * Support TPM2.0 * Auto-start (implemented in BIOS)
- * Network wake-up (in any shutdown mode)
- * PXE (UEFI only) * Watch Dog Timer


Internal functions

- * 1* M.2 (22*30MM), default AC3165 Bluetooth 4.2.
Optional WIFI6 Bluetooth 5.2
- * 1*10Pin Fp1 pin header, used to connect external switch,
reset, HDD-LED, PWR-LED



Others

- * Power input: 12V 5A
- * Case Material: Aluminum Alloy
- * VESA Mounting or Laying on desk
- * Operating temperature: -20°C to 50°C
- * PC size: 135*127*39MM
- * Weight: 1.2KG



Input/Output Interfaces

- 1 1 x Power On/Off Switch
- 2 2 x USB 3.0
- 3 2 x USB 2.0
- 4 2 x DB9 pin COM RS232
- 5 1 x 3.5MM Audio Output
- 6 1 x 3.5MM Microphone Input
- 7 2 x RJ45 8168/8111 (1000M)
- 8 1 x DP (1.2) 4K 60HZ
- 9 2 x HDMI (2.0) 4K 60HZ
- 10 1 x 12V 5A DC IN


Package Content

Standard:

- * 1 x Mini PC
- * 1 x Power Adapter
- * 1 x Power Cord
- * 1 x User Manual
- * 1 x SATA Cable
- * 1 x Screws Pack

Optional:

- * VESA, HDMI cable,



For more information, please contact your HYSTOU sales representative or send us an email : sales@hystou.com. Tech Support Blog: <https://minipcsupport.com/>